

2 Conceptual Database Design

2.1 Requirement analysis

2.2 Modeling languages

2.1.1 Overview

2.1.2 Requirement Analysis (case study)

2.2.1 Basic Modeling Primitives

2.2.2 Modeling Languages: UML and Entity-Relationship Model (ERM)


2.2.3 Conceptual DB design: basics

2.2.4 From Requirements to Models

References: Kemper / Eickler chap 2, Elmasri / Navathe chap. 3
Garcia-Molina / Ullmann / Widom: chap. 2


2.1.1. Overview

Lifecycle




Database Design: Overview

Hand-in-hand design of DB and intended applications



Database Design: Terminology

- Database Design
 - Process of defining the overall structure of a database on
 - Different layers of abstraction
 - Conceptual, logical, physical level
- Includes "Analysis" and "Design" from SE
- DB Modeling: defining the "Static model" using formal or visual languages



HS / DBS05-2-Conceptual 4

2.1.2 Requirement Analysis

Most important: communicate with your customers!

Tasks during RA:

- Identify essential "real world" information (e.g. interviews)
- Remove redundant, unimportant details
- Clarify unclear natural language statements
- Fill remaining gaps in discussions
- Distinguish data and operations

Requirement analysis & Conceptual Design aims at focusing thoughts and discussions !

HS / DBS05-2-Conceptual 5

Requirements: Case study

"I'm the owner of a medium size video store. We have over 10.000 video tapes that we need to keep track of. Since a few month, we also have DVDs.

Each of our video tapes has a tape number. For each movie, we need to know its title and category (e.g. comedy, suspense, drama, action, or sci-fi). Yes, we do have multiple copies of many of our movies. We give each movie a specific id, and then track which movie a tape contains. A tape may be either Beta or VHS Format. We always have at least one tape for each movie we track, and each tape is always a copy of a single, specific movie. Our tapes are adapted to the movie lengths, so we don't have any movies which require multiple tapes. The movies are stored on shelf according to their category sorted by movie title.

We are frequently asked for movies starring specific actors John Wayne and Katherine Hepburn are always popular. So we'd like to keep track of the star actors appearing in each movie.....

(cont. next page)

HS / DBS05-2-Conceptual 6

Requirements: Case study (cont)

.... Not all of our movies have star actors. Customers like to know each actor's "real" birth name and age. We track only actors who appear in the movies in our inventory. We have lots of customers. We only rent videos to people who have joined our "video club". To belong to our club, they must have good credit. For each club member, we'd like to keep their first and last name, current phone numbers, and current address. And, of course each club member has a membership number. Then we need to keep track of what video tapes each customer currently has checked out. A customer may check out multiple video tapes at any given time. Rentals are for one or more days, each movie with an individual price per day. Furthermore we additionally charge 1 \$ per beta format tape, 2 \$ for a DVD and another \$ for movies longer than 2 hours. Maximum rental time is 4 weeks. The customer gets a bill with movie titles, individual prices and total amount, when he /she returns movies."

HS / DBS05-2-Conceptual 7

Requirement Analysis

- First step: filter **essential information** vs **unimportant details**
 - Essentials
 - There are customers, tapes, movies, ...
 - A movies may have many copies, but a tape (or DVD) contains exactly one movie
 - Customers have a customer identification (id)
 - Four weeks maximal rental time
 - Unimportant details
 - "...DVDs since a few month"
 - "... John Wayne.."
 - Names of the categories (but categories are important!)
 - Tapes on shelf (since we don't design a tape robot) ...
- **Note: what is important depends on the applications**

HS / DBS05-2-Conceptual 8

Requirement Analysis

- Clarify unclear statements
 - Video club: admission / annual fee?
 - Charge per tape: price for one day the minimum?
 - ...
- Fill gaps
 - Any discounts?
 - What happens after maximal rental time?
 - ...
- Distinguish data from operations
 - Processing a bill
 - Becoming a member of the club

HS / DBS05-2-Conceptual 9

2.2.1 Basic modeling primitives

Conceptual modeling

- Distinguish between **types** (classes) and **individual facts** (metadata vs data)

The name of this woman is *Kunz* with first name *Tamara*.

As opposed to:

A person is identified by first name, last name and birth date.

- Describe reality on a **type** level
- Use a graphical language in order to get an overall impression of the domain modeled
- The language should use the "right primitives"

This is an old problem of philosophy: how to describe the world in an appropriate, comprehensible way?

HS / DBS05-2-Conceptual 10

Basic modeling primitives

Modeling the "Real World"

– Entity (type)

- something which exists, has a name

– Attribute

- property of an entity

– Relationship

- connects two or more entities

Important terms

Tape Movie

Tape Movie

TID format title year director

Tape Movie

TID format recorded_on title year director

"Non sunt multiplicanda entia praeter necessitatem"
William van Ockham, English philosopher, 13th century
(Principle of Economy, Law of Parsimony)

HS / DBS05-2-Conceptual 11

Basic modeling primitives

Attributes have values

Example: Starring is *John Wayne*

Values live on the database level, not in the schema!

Design decision: attribute or entity ?

Example:


- *color* is an attribute for describing *cars*
- *color* is presumably an entity for the *car manufacturer* having attributes like *tone, quality, supplier, chemical formula...*

HS / DBS05-2-Conceptual 12

2.2.2 Modeling notations and languages

Entity-Relationship-Model

- data-oriented: static modeling of data
- 1976 introduced by P.P. Chen
 - (Peter P. Chen: The Entity-Relationship Model - Toward a Unified View of Data. ACM TODS 1(1): 9-36, 1976, see [Reader](#))
- Classical Graphical notation with squares, bullets and diamond




HS / DBS05-2-Conceptual 13

Graphical modeling languages

Unified modeling language (UML)

- Modeling of **data and operations**
- Object oriented flavor
 - e.g. each object (entity) has identity - a unique pointer
- ERM: entities having the same type and the same attribute values are indistinguishable
- Attributes may be constructed (lists, sets, arrays,...)
- Relationships are directed (uni- or bidirectional)



HS / DBS05-2-Conceptual 14

ERM and UML

- E-R modeling language and UML obviously related
 - E-R language simpler
 - More appropriate for modeling of data
 - Object-oriented modeling by extended E-RM concepts (see below)
 - semantic differences (see below)
- Drawing "attribute bullets" ?
 - Use UML notation for entities and attributes
 - Use association notation of UML instead of diamonds
- Basically use UML notation with ERM semantics

HS / DBS05-2-Conceptual 15

Entity

What is an "entity" ?

- particular **instance** (e.g. the movie "Jurassic Park")
- The **type** of an instance / all instances ("movie")
- sometimes: a **set of instances** (e.g. all movies of the rental shop)

The context should clarify the meaning


Sometimes explicitly: **entity set / entity type**

Analog terminology for relationships

HS / DBS05-2-Conceptual 16

2.2.3 Conceptual Design: Basics

Entities & attributes




Key attributes

"Axiom" of ER and Relational DB:

Two individual entities can always be distinguished by the values of some of its attribute(s), together called the **key**

Key attributes are underlined




Key attributes *together* identify an entity.

Frequently: just **one attribute**, e.g. **matrNr**

HS / DBS05-2-Conceptual 17

Conceptual Design: Basics

Relationships




- Always have a name
- Do not have a direction
- May have attributes
- Do not have a key

Terminology:
Relationships often called relations. Different from relations of RDM !

HS / DBS05-2-Conceptual 18

Conceptual Design: Comparison with UML


- UML-Terminology
 - Class = entity type (- Attribute = member)
 - Object = entity
 - Association = relationship
 - NO keys
 - Relationship may have a direction




HS / DBS05-2-Conceptual 19

Conceptual Design: Basics

- Notation
 - sometimes attributes are omitted
 - Infrequent: order of relationship




- Role names



HS / DBS05-2-Conceptual 20

Conceptual Design: Basics

- Recursive relationships



Roles: particularly useful in recursive relations




Both example model hierarchical relationships


HS / DBS05-2-Conceptual 21

Conceptual Design: Basics

- Multiple relationships



There may be no, one or many relationships between entity types



Note: nothing said about representation (implementation) at this point

HS / DBS05-2-Conceptual 22

Conceptual Design: Basics

Domains and types

- Attributes may be typed
- Representation of data not really relevant at this stage
 - title: VARCHAR /* variable character string ?
- More important: domain
 - Semantic category which characterizes attributes of the same kind
 - title: nameOrSentence
- Domains not used frequently
- Type / domain assignment mostly done in a separate step

HS / DBS05-2-Conceptual 23

2.2.3 From requirements to models

Text to conceptual model

- The only step which cannot be automated
- Given: Requirements as "cleaned" text
- Wanted: conceptual database design

Rough guideline: correspondance between...

entities and nouns

For each movie, we...

relationships and verbs

... which movie a tape holds ...

attributes and adjectives or phrases like "has a..", "is...a"

...has a tape number.

HS / DBS05-2-Conceptual 24

From requirements to models

Some heuristics: *entities*

- If it cannot be uniquely identified, it usually isn't an entity
video club
- If only one instance exists, it might not be an instance
video store
- Find out synonyms (in this context)
customer and club member
- Give a definition of the entity and eliminate synonyms
a customer is a member of "the club". Only customers may rent videos. *Customer is synonym to club member.*

HS / DBS05-2-Conceptual 25

From requirements to models

Heuristics: *attributes*

- Find the attributes for each entity.
Sometimes expressed by auxiliary verb:
Tape... has a tape number
- Which one *identifies* an instance?
In most cases not expressed explicitly but context knowledge
Customer: name, first_name, phone, address, membership#
- Decompose compound attributes
(e.g. address ⇒ location, street, zip)
- Check for multiple values
- Use lower case for attributes, uppercase for entities

HS / DBS05-2-Conceptual 26

From requirements to models: case study


I'm the owner of a small video store. We have over 3.000 **video tapes** that we need to keep track of. Since a few weeks, we also have DVDs.

Each of our **video tapes** has a tape number. For each **movie**, we need to know its title and category (e.g. comedy, suspense, drama, action, or sci-fi). Yes, we do have multiple copies of many of our **movies**. We give each **movie** a specific id, and then track which **movie** a **tape** contains. A **tape** may be either Beta or VHS Format. We always have at least one **tape** for each **movie** we track, and each **tape** is always a copy of a single, specific **movie**. Our **tapes** are adapted to the **movie** lengths, so we don't have any **movies** which require multiple **tapes**. The **movies** are stored on shelves according to their category sorted by movie title.

We are frequently asked for **movies** **starring** specific **actors** John Wayne and Katherine Hepburn are always popular. So we'd like to keep track of the star **actors** appearing in each **movie**. Not all of our **movies** have star **actors**. **Customers** like to know each actor's "real" birth name and age. We track only **actors** who appear in the movies in our inventory.
.... etc

HS / DBS05-2-Conceptual 27

Conceptual Design: case study



HS / DBS05-2-Conceptual 28

Summary

- Conceptual modeling: the art of structuring the data of an application domain
- Base: careful requirement analysis
- Simple, powerful base constructs: entities, attributes, relationships
- Visual (graphical) language
- E-R modeling language and UML related
 - E-R language simpler
 - More appropriate for modeling of data
 - many dialects
 - Compatibility to UML makes sense
 - Some differences, e.g. no keys in UML

HS / DBS05-2-Conceptual 29